

SALT&OXIDE REMOVER

Special acidic cleaner for the removal of urea salts, oxides and rust



Product description

Salt&Oxide Remover is an acidic cleaner for the removal of urea salts, oxides and rust from different type of surfaces.

Salt&Oxide Remover is also used for the removal of dirt, stains and oxides from aluminum.

Salt&Oxide Remover is slightly viscous and can therefore be applied on vertical surfaces.

Use

Salt&Oxide Remover can be applied on all acid resistant surfaces. Salt&Oxide Remover is widely used in toilets, shower stalls, sewage treatment plants, restaurant kitchens, stainless steel, swimming pools and slaughterhouses.

Characteristics

- Fast-acting and efficient
 - Cleans many types of scale and dirt from various surfaces
- Very suitable for use on vertical surfaces

Technical data

Odour: Mild acid
Colour: Brown
Specific weight: 1,05 kg/L

ρH: ~1

Contains: Benzene sulfonic acid and phosphoric acid

Application conditions

Salt&Oxide Remover can be used in all dry weather conditions.

Instructions

- 1. Wet the surface with water.
- Apply Salt&Oxide Remover undiluted with a brush, low pressure spray or sponge. Work from bottom to top.
- 3. Agitate the product on the contamination with a brush or sponge until the contaminant has released from the surface.
- Spray the surface with water (20-60 °C) and suitable pressure.
- 5. Rinse the surface again with clean water.

Packaging

1, 5 and 10 L

Consumption

Consumption is between 3-5 m2/L depending on the degree of contamination and porosity of the surface.

Practical information

- Do not mix with other products. Be especially careful with alkaline products.
- Low temperatures can delay the efficacy, adjust the treatment time accordingly.
- Do not use in direct sunlight or hot surfaces.
- Ensure that the product does not dry on the surface
- When used indoors, ensure proper ventilation.

Storage

Can be kept for at least 24 months in original unopened packaging.

Store in a ventilated, cool and frost-free place.

Health and safety

Causes severe burns and eye damage. Avoid skin and eye contact, wear suitable gloves, protective clothing and safety goggles. When in doubt, always consult the safety data sheet or our R&D department.



Technical support

Mavro is ISO 9001 certified: your guarantee of quality, in terms of products and advice. Our technical consultants and R&D department are always at your service. We are happy to look at your problem or wish with you. Help you with our products or find a solution if it does not yet exist. Call, e-mail or drop by.

Mavro International, Heksekamp 1, 5301 LX Zaltbommel

T. +31 418 680 680 E. info@mavro-int.com W. www.mavro-int.com

Disclaimer

This technical data sheet is intended as a guide for the use of the product and is based on the latest development and technology. Because application, processing and environmental conditions are out of our reach, no rights can be derived from this technical data sheet. Mavro International rejects all liability regarding warranty, incorrect application and any damage or consequential damage. The user remains responsible at all times regarding proper use, product choice, application and results.

Edition: July 2020

All previous editions become invalid upon this publication

Product code: 57637