

# UNICLEAN HIGH FOAMING

Powerful alkaline foam cleaner for universal use



## Product Description

Uniclean High Foaming is a highly efficient alkaline foam cleaner for universal use. The product can be used as a foam for so-called 'touchless cleaning' where working with brushes is not necessary. Uniclean High Foaming is 100% biodegradable and contains no harmful ingredients such as EDTA, NTA, acids or phosphates. Uniclean High Foaming has been developed with only environmentally friendly ingredients and consists for a large part (>90%) of bio-based raw materials.

## Use

Uniclean High Foaming can be applied to almost all surfaces. Be careful with alkali-sensitive surfaces such as aluminum.

## Properties

- Effective against both inorganic and organic contaminants
- Strong cleansing effect
- Suitable for touchless cleaning
- Forms a stable foam
- 100% biodegradable
- Contains no NTA, EDTA, phosphates or acids

## Technical data

Color:	Yellow
Fragrance:	Citrus
Specific gravity:	1.02 kg/liter
pH:	13 (undiluted)

## Application conditions

Uniclean High Foaming can be used in all dry weather conditions. Do not apply in direct sunlight.

## Instructions

1. Uniclean High Foaming depending on the degree of contamination dilute to 1:30 with water.
2. Apply Uniclean High Foaming with a suitable high pressure foam equipment for the desired foam effect.
3. Let the product act on the surface for a few minutes. In case of stubborn contamination, continue working with a soft brush.
4. Rinse the surface with appropriate pressure.

## Packaging

10 and 1000 liters.

## Technical consumption

Consumption is highly dependent on the type and degree of pollution.

## Practical information

- Do not mix with other products. Be especially careful with acidic products.
- Only dilute with clean tap water, demineralized water or osmosis water.
- Do not apply to hot surfaces or in direct sunlight.
- Dilution affects the stability of the foam.

## Storage

Shelf life in original unopened packaging for at least 24 months. Store in a cool, frost-free place.

## Safety

Avoid skin and eye contact, wear appropriate gloves, protective clothing and goggles. If in doubt, always consult the safety data sheet or our R&D department.



## Technical Support

Mavro is ISO 9001 certified: your guarantee of quality, in terms of products and advice. Our technical consultants and R&D department are always at your service. We are happy to look at your problem or wish with you. Help you with our products or find a solution if it does not yet exist. Call, e-mail or drop by.

Mavro International, Heksekamp 1, 5301 LX Zaltbommel  
T. +31 418 680 680  
E. [info@mavro-int.com](mailto:info@mavro-int.com)  
W. [www.mavro-int.com](http://www.mavro-int.com)

## Disclaimer

This technical data sheet is intended as a guide for the use of the product and is based on the latest development and technology. Because application, processing and environmental conditions are out of our reach, no rights can be derived from this technical data sheet. Mavro International rejects all liability regarding warranty, incorrect application and any damage or consequential damage. The user remains responsible at all times regarding proper use, product choice, application and results.

Edition: January 2023  
All previous editions become invalid upon this publication

Product code: 57678