

acc. to Regulation (EC) No. 1907/2006 (REACH)

WE MAKE CHEMISTRY WORK

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Clue Remover

Alternative number(s) 57601

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Glue remover

1.3 Details of the supplier of the safety data sheet

Mavro International BV Heksekamp 1 5301 LX Zaltbommel Netherlands

Telephone: +31 418 680 680 e-mail: info@mavro-int.com

Website: https://www.mavro-int.com

1.4 Emergency telephone number

Emergency information service +31 418 680 680

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Country	Name	Postal code/ city	Telephone	Telefax	Opening hours
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital		0344 892 0111		Mon - Fri 12:00 AM - 12:00 AM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1/16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS02, GHS07



- Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P312 Call a POISON CENTRE/doctor if you feel unwell.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to industrial combustion plant.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- Hazardous ingredients for labelling isopropanol, acetone

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
isopropanol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0	25 - < 50	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	(1)

United Kingdom: en Page: 2 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
(2-methoxymethyleth- oxy)propanol	CAS No 34590-94-8	10 - < 25		
	EC No 252-104-2			
2-(2-butoxyethoxy)eth- anol	CAS No 112-34-5	10 - < 25	Eye Irrit. 2 / H319	<u>(!)</u>
	EC No 203-961-6			•
	Index No 603-096-00-8			
acetone	CAS No 67-64-1	10 - < 25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	<u>(4)</u>
	EC No 200-662-2		3101 3E 3 / F1330	•
	Index No 606-001-00-8			

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom: en Page: 3 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Revision: 2023-06-28

Version number: GHS 3.0 Replaces version of: 2023-04-18 (GHS 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 4 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA (ppm)	TWA [mg/m³]	STEL (ppm)	STEL [mg/m³]	Ceiling- C [ppm]		Nota- tion	Source
EU	2-(2-butoxyeth- oxy)ethanol	112-34-5	IOELV	10	67.5	15	101.2				2006/15/ EC
EU	(2-methoxy- methylethoxy)pr opanol	34590-94- 8	IOELV	50	308					Н	2000/ 39/EC
EU	acetone	67-64-1	IOELV	500	1,210				_		2000/ 39/EC

United Kingdom: en Page: 5 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
GB	2-(2-butoxyeth- oxy)ethanol	112-34-5	WEL	10	67.5	15	101.2				EH40/ 2005
GB	(2-methoxy- methylethoxy)pr opanol	34590-94- 8	WEL	50	308						EH40/ 2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250				EH40/ 2005
GB	acetone	67-64-1	WEL	500	1,210	1,500	3,620				EH40/ 2005

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

absorbed through the skin

H STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute

period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

	•					
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
isopropanol	67-63-0	DNEL	500 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
isopropanol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	308 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
acetone	67-64-1	DNEL	1,210 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
acetone	67-64-1	DNEL	2,420 mg/m³	human, inhalatory	worker (industry)	acute - local effects
acetone	67-64-1	DNEL	186 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
2-(2- butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
2-(2- butoxyethoxy)eth- anol	112-34-5	DNEL	67.5 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
2-(2- butoxyethoxy)eth- anol	112-34-5	DNEL	101.2 mg/m³	human, inhalatory	worker (industry)	acute - local effects
2-(2- butoxyethoxy)eth- anol	112-34-5	DNEL	83 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom: en Page: 6 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

Relevant PNECs of components of the mixture

Relevant PNECs						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
isopropanol	67-63-0	PNEC	140.9 ^{m9} / _I	aquatic organisms	freshwater	short-term (single instance)
isopropanol	67-63-0	PNEC	140.9 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
isopropanol	67-63-0	PNEC	2,251 ^{m9} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
isopropanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
isopropanol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
isopropanol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	19 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	1.9 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	4,168 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	70.2 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	7.02 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	2.74 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
acetone	67-64-1	PNEC	10.6 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)
acetone	67-64-1	PNEC	1.06 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
acetone	67-64-1	PNEC	100 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
acetone	67-64-1	PNEC	30.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
acetone	67-64-1	PNEC	3.04 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
acetone	67-64-1	PNEC	29.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	1.1 ^{m9} / _I	aquatic organisms	freshwater	short-term (single instance)
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	0.11 ^{m9} / _l	aquatic organisms	marine water	short-term (single instance)

United Kingdom: en Page: 7 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	200 ^{m9} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	4.4 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	0.44 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
2-(2- butoxyethoxy)eth- anol	112-34-5	PNEC	0.32 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- Type of material

Nitrile

- Material thickness

>0.12mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Wash hands thoroughly after handling.

Body protection

Protective clothing against liquid chemicals.

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 8 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Replaces version of: 2023-04-18 (GHS 2) Revision: 2023-06-28

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	Solvent
Melting point/freezing point	-94.8 °C
Boiling point or initial boiling point and boiling range	56.05 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	1.1 vol% - 14 vol%
Flash point	-17 °C
Auto-ignition temperature	207 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	240 hPa at 20 °C
-----------------	------------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

United Kingdom: en Page: 9 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom: en Page: 10 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Revision: 2023-06-28

Version number: GHS 3.0 Replaces version of: 2023-04-18 (GHS 2)

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

United Kingdom: en Page: 11 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

1

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

14.2 UN proper shipping name

ADR/RID	flammable liquid, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	isopropanol, acetone

14.3 Transport hazard class(es)

ADR/RID	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	Ш

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

United Kingdom: en Page: 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ)

Limited quantities (LQ)

Transport category (TC)

Tunnel restriction code (TRC)

Hazard identification No

33

Emergency Action Code

34E

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 3



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-E

Stowage category B

United Kingdom: en Page: 13 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: CHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (CHS 2)

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement con- cerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

United Kingdom: en Page: 14 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

Ceiling-C DGR DNEL EC No	Ceiling value Dangerous Goods Regulations (see IATA/DGR) Derived No-Effect Level
DNEL	Derived No-Effect Level
EC No	
	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li-cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
CHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ррт	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

United Kingdom: en Page: 15 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

GLUE REMOVER

Version number: GHS 3.0 Revision: 2023-06-28 Replaces version of: 2023-04-18 (GHS 2)

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDC). Dangerous Goods Regulations (DCR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 16 / 16