

acc. to Regulation (EC) No. 1907/2006 (REACH)

WE MAKE CHEMISTRY WORK

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Oil Remover

Alternative number(s) 57608

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Oil remover

Cleaning agent

1.3 Details of the supplier of the safety data sheet

Mavro International BV Heksekamp 1 5301 LX Zaltbommel Netherlands

Telephone: +31 418 680 680 e-mail: info@mavro-int.com

Website: https://www.mavro-int.com

1.4 Emergency telephone number

Emergency information service +31 418 680 680

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Country	Name	Postal code/ city	Telephone	Telefax	Opening hours
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital		0344 892 0111		Mon - Fri 12:00 AM - 12:00 AM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1/13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

2.2 Lobel elements

Labelling

- Signal word danger

- Pictograms

CHS05



- Hazard statements

H315 Causes skin irritation.H318 Causes serious eye damage.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

- Hazardous ingredients for labelling Alcohols, C9-C11, Ethoxylated, Fatty alcohol

ethoxylated

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Alcohols, C9-C11, Eth- oxylated	CAS No 68439-46-3	10 - < 25	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
Fatty alcohol ethoxylated	CAS No 24938-91-8	1-<5	Eye Dam. 1 / H318	
(2-methoxymethyleth- oxy)propanol	CAS No 34590-94-8 EC No 252-104-2	1-<5		
Fatty acid, monoethanol- amid, ethoxylated	EC No 932-164-2	1-<5	Skin Irrit. 2 / H315	1

United Kingdom: en Page: 2 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: GHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (GHS 3)

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United Kingdom: en Page: 3 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Replaces version of: 2023-02-14 (CHS 3) Revision: 2023-06-28

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

United Kingdom: en Page: 4 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (GHS 3)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Nota- tion	Source
EU	(2-methoxy- methylethoxy)pr opanol	34590-94- 8	IOELV	50	308				Н	2000/ 39/EC
CB	(2-methoxy- methylethoxy)pr opanol	34590-94- 8	WEL	50	308					EH40/ 2005

Notation

ceiling value is a limit value above which exposure should not occur absorbed through the ${\ensuremath{\mathsf{skin}}}$ Ceiling-C

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute

period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Alcohols, C9-C11, Ethoxylated	68439-46-3	DNEL	294 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C9-C11, Ethoxylated	68439-46-3	DNEL	2,080 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	308 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	0.104 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	0.104 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	1.4 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	13.7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Alcohols, C9-C11, Ethoxylated	68439-46-3	PNEC	1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom: en Page: 5 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	19 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	1.9 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	4,168 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	70.2 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	7.02 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	2.74 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- Type of material

Nitrile

- Material thickness

>0,12mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Wash hands thoroughly after handling.

Body protection

Protective clothing against liquid chemicals.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 6 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: GHS 4.0 Replaces version of: 2023-02-14 (GHS 3) Revision: 2023-06-28

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C at 760 mmHg
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	9.5
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

United Kingdom: en Page: 7 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	

0.01

Miscibility Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

United Kingdom: en Page: 8 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0
Replaces version of: 2023-02-14 (CHS 3)

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 9 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

SECTION 14: Transport information

14.1 UN number or ID number

IMDG-Code UN 1760 ICAO-TI UN 1760

14.2 UN proper shipping name

IMDG-Code CORROSIVE LIQUID, N.O.S.

ICAO-TI Corrosive liquid, n.o.s.

14.3 Transport hazard class(es)

IMDG-Code 8
ICAO-TI 8

14.4 Packing group

IMDG-Code || ICAO-TI ||

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

United Kingdom: en Page: 10 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP) A3

Excepted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on detergents

Labelling of contents	
Constituents	Weight % content (or range)
non-ionic surfactants	15 % or over but less than 30 %

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

United Kingdom: en Page: 11 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: GHS 4.0
Replaces version of: 2023-02-14 (GHS 3)

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement con- cerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, are identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-l cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the Unite Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regula tion (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

United Kingdom: en Page: 12 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

OIL REMOVER

Version number: CHS 4.0 Revision: 2023-06-28 Replaces version of: 2023-02-14 (CHS 3)

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDC). Dangerous Goods Regulations (DCR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 13 / 13